

Expert) Setting up custom URL redirects in the help center) using javascript

Portal Customization - تعليقات (.) - Colin Dunn - 2022-01-11

Summary

This article is for advanced users, and allows you to set up custom URL redirects on •
your helpdesk. This is not an official part of the product - we will be using a trick/hack
.with javascript to create these redirects

This works by embedding code in the 404 page, so if an end user hits a URL which •
.does not exist, they can be redirected to the correct place

.This works for both cloud and on-prem customers. Root server access is not required •

Disclaimer

As this is an expert customization, this falls outside of scope of standard support, and is
.something you will need to build and manage yourself

If you run into any problems, you should revert your error404.html template to default in the
.template editor, and save

?When may you need this

If you have a very specific naming convention for your content, and are not able to •
.use our default URLs

You have migrated from a legacy system, and would like to retain old URL's, for ease •
.of use and SEO

?Instructions

.1 Write up your redirect rules

```
< script >
```

```
} () window.onload = function
```

```
} (switch(window.location.href
```

```
: 'case 'http://192.168.100.78/en/some-broken-page-1
```

```
; 'window.location.href='http://192.168.100.78/en/new-page-1
; break

: 'case 'http://192.168.100.78/some-broken-page2
; 'window.location.href='http://192.168.100.78/en/new-page-2
; break

: default
; break

{
{
< script/ >
```

In this example, these two redirects will occur:

<http://192.168.100.78/en/some-broken-page-1> >> <http://192.168.100.78/en/new-page-1>

<http://192.168.100.78/some-broken-page2> >> <http://192.168.100.78/en/new-page-2>

This can continue indefinitely, you just need to copy and duplicate the 3 lines, case, :window, break - as demonstrated in this animation

```
JavaScript + No-Library (pure JS) ▼ Tidy
1  <script>
2  window.onload = function() {
3  switch (window.location.href) {
4      case 'http://192.168.100.78/en/some-broken-page-1':
5          window.location.href = 'http://192.168.100.78/en/new-page-1';
6          break;
7
8      case 'http://192.168.100.78/some-broken-page2':
9          window.location.href = 'http://192.168.100.78/en/new-page-2';
10         break;
11
12
13         default:
14             break;
15     }
16 } <
17 /script>
18
```

You must the paste this into Admin > Help Center > Design > Open Template Editor .1
> Error > error404.html

Help Center Design > Templates

Template: error404.html Block: Name

Deskpro Internal IT

```
1 Extends: Theme::layout.html.twig
2
3 {% block page_body %}
4 <article class="news kb-article">
5 <header>
6 <h1>Not Found</h1>
7
8 <div class="article-meta">
9 <p>Sorry, but we couldn't find this page.</p>
10 <p>helpcenter.error.contact</p>
11 </div>
12 </header>
13 </article>
14 {% endblock page_body %}
15
16 <script>
17 window.onload = function() {
18   switch (window.location.href) {
19     case 'http://192.168.100.78/en/some-broken-page-1':
20       window.location.href = 'http://192.168.100.78/en/new-page-1';
21       break;
22
23     case 'http://192.168.100.78/some-broken-page2':
24       window.location.href = 'http://192.168.100.78/en/new-page-2';
25       break;
26
27     default:
28       break;
29   }
30 } </script>
31
```

Press Save, Apply and ensure to Save Settings on your HelpCenter (and for any .1 brands you may want to apply it for

.It should start to function right away