



[Developer & Reporting](#) > [Deskpro Apps](#) > [How can I automatically change the ticket status \(when a comment is added in JIRA \(v3](#) قاعدة المعلومات

How can I automatically change the ticket status ?(when a comment is added in JIRA (v3

[Deskpro Apps](#) - تعليقات (.) - Ashley Dawson - 2022-07-04

In this article, we're going to walk through the process of setting up a Webhook to receive events from JIRA that will "tell" Deskpro to affect a ticket in some way. For example, we're going to listen for when a JIRA comment is added and update the Deskpro ticket status.

?Why is this useful


Listening to events from other systems is very useful for keeping Deskpro up-to-date with recent changes that were not actioned through Deskpro itself. You can imagine listening to when an issue is updated in JIRA and then adding a note or changing the status of an associated Deskpro ticket.

Installing the JIRA app

The first step is to install the JIRA app. To do this, navigate to the "Admin > Apps & Integrations > Apps" section of Deskpro.


The screenshot displays the Deskpro Admin interface. On the left, a vertical sidebar contains navigation icons and labels: Overview, Configuration, Channels, Agents, Help Center, Ticket Structure, Features, Business Rules, CRM, and Apps & Integrations. The 'Apps & Integrations' section is expanded, showing 'Apps' as the selected option. The main content area shows the 'Apps' page with a search bar and tabs for 'Installed (1)' and 'Available (1)'. A card for the 'JIRA' app is visible, with a description: 'View Jira issues linked with Deskpro tickets to streamline communication with users'.

Click on the JIRA app and install it using your JIRA API credentials. Once the app is installed, go to one of your Deskpro tickets and use the JIRA app to link a JIRA issue to your Deskpro ticket



Creating the Webhook

Now that we have a linked issue, let's add a webhook to "listen" to JIRA events. Navigate to the "Admin > Apps & Integrations > Inbound Webhooks" section and add a new webhook



:Add the following settings to your new webhook

Title: ["JIRA: Update status on new comment"](#) - this is the title of your webhook, it's important to give it a descriptive name so you can tell what the webhook is doing at a glance •

Payload Format: ["Webhook accepts json payload"](#) - JIRA will send data in JSON format, let's set our webhook up to parse this type of data •

Filter: ["Linked JIRA Issues -- Contains -- twig:{{webhook.data.issue.key}}"](#) - our filter is going to interrogate the data sent from JIRA and attempt to match the JIRA issue key with the linked Deskpro tickets •

Click "Create" to create the new webhook before we continue

Webhook Trigger and Action

Now that we can listen to and match Deskpro tickets from JIRA events, the next step is to actually "do" something in Deskpro. In this case, we're going to update the ticket status to "Awaiting Agent" if a new .comment is added to the associated issue in JIRA itself

:Reopen the webhook and add a webhook "trigger" and set the criteria to

Operation: [Check Webhook variables](#) •

Field: [webhook.data.webhookEvent](#) •

Operator: [is](#) •


Value: [comment_created](#) •

:Also, let's add the "action" that will be performed

Type: [Set status](#) •


Value: [Awaiting Agent](#) •

"Now click "Save



Ok great! We now have our webhook in Deskpro. Next, let's let JIRA know about our new webhook URL so it can start sending us events

.Grab the webhook URL by revealing it by clicking "Show URL" and copying it to your clipboard



Adding the webhook to JIRA

Login to your JIRA account and navigate to the "JIRA Settings > System" section in the cog menu at the top right of the screen

Q Search 9+ ? ⚙️ AD

Assigned to Me

T	Key	Summary
<input checked="" type="checkbox"/>	DP-35	Test Issue 01
<input type="checkbox"/>	DSKPR-1	Ashley Test Sprint Issue

1-2 of 2

Activity Streams

Settings

ATLASSIAN ADMIN

- User management**
Add users, groups, and manage access requests. ⓘ
- Billing**
Update your billing details, manage your subscriptions and more. ⓘ


JIRA SETTINGS

- System**
Manage your general configuration, global permissions, look and feel and more. ⓘ
- Products**
Manage your Jira products' settings and integrations. ⓘ
- Projects**
Manage your project settings, categories, and more. ⓘ
- Issues**
Configure your issue types, workflows, screens, custom fields and more. ⓘ
- Apps**
Add and manage Jira Marketplace apps. ⓘ

PERSONAL SETTINGS

- Atlassian account settings**
Manage your language, time zone, and other profile information. ⓘ
- Personal Jira settings**
Manage your email notifications and other Jira settings. ⓘ

.Next, navigate to the “WebHooks” section in the left-hand sidebar



:Create a new webhook and enter the following details

Name: "Deskpro Status Change Webhook" - a descriptive name so we can recognize our webhook at a glance •

Status: "Enabled" - enable this webhook so JIRA starts sending events to Deskpro •

URL: The URL in your clipboard we copied from the Deskpro webhook •

Issue Related Events: "Comment > created" - we're only interested in newly created comments •

Click the "Create" button at the bottom of the webhook screen. That's it - we've created our webhook in JIRA. Tickets associated with JIRA issues will now update their status to "Awaiting Agent" when new comments are added to issues via JIRA itself

System

WebHooks

New Webhook Listener

[Deskpro Test Webhook](#)

[Test Apps v3 Webhook](#)

Name *

Deskpro Status Change Webhook

Status *

Enabled Disabled

URL *

https://mycompany.deskpro.com/api/v2/webhooks/CB8QAJ687TAL1B7X/invoc

You can use the following additional variables in the URL: `$(attachment.id)`, `$(board.id)`, `$(comment.id)`, `$(issue.id)`, `$(issue.key)`, `$(mergedVersion.id)`, `$(modifiedUser.accountId)`, `$(modifiedUser.key)`, `$(modifiedUser.name)`, `$(project.id)`, `$(project.key)`, `$(property.key)`, `$(sprint.id)`, `$(version.id)`, `$(worklog.id)`

[Read more](#)

Description

Events

Issue related events

You can specify a JQL query to send only events triggered by matching issues. The JQL filter does not apply to events under the Issue link column.

All issues

[Syntax help](#)

Attachment

created
 deleted

Issue link

created
 deleted

Issue

created
 updated
 deleted

Worklog

created
 updated
 deleted

Comment

created
 updated
 deleted

Entity property

created or updated
 deleted