

Developer & Reporting > Deskpro Apps > How can I automatically change < قاعدة المعلومات ?(the ticket status when a comment is added in JIRA (v3

# How can I automatically change the ticket status when a ?(comment is added in JIRA (v3 $\,$

Deskpro Apps - (۰) تعليقات - Ashley Dawson - 2022-07-04


In this article, we're going to walk through the process of setting up a Webhook to receive events from JIRA that will "tell" Deskpro to affect a ticket in some way. For example, we're .going to listen for when a JIRA comment is added and update the Deskpro ticket status

## Why is this useful?


Listening to events from other systems is very useful for keeping Deskpro up-to-date with recent changes that were not actioned through Deskpro itself. You can imagine listening to when an issue is updated in JIRA and then adding a note or changing the status of an .associated Deskpro ticket

## Installing the JIRA app

The first step is to install the JIRA app. To do this, navigate to the "Admin > Apps & . .Integrations > Apps" section of Deskpro



Click on the JIRA app and install it using your JIRA API credentials. Once the app is installed, go to one of your Deskpro tickets and use the JIRA app to link a JIRA issue to your Deskpro .ticket



## **Creating the Webhook**

Now that we have a linked issue, let's add a webhook to "listen" to JIRA events. Navigate to .the "Admin > Apps & Integrations > Inbound Webhooks" section and add a new webhook

Θ	OVERVIEW	Mine (15)  Et sit ea qui × kirstin.breiten	Edit: JIRA: Update status on new comment
9 6	CHANNELS	S Inbound Webhook	Configure Log
0	HELP CENTER		Information     Title*     IRA: Update status on new comment
	FEATURES	Q Search 0 selected ∳ Action □ • Title Pa	This title will be displayed in the agent interface in the Filter list. It should be kept short. Payload format
6	BUSINESS RULES		Wethook accepts jion payload         -           Wethook URL         -           Ø Shou URL         -
	APPS & INTEGRATIONS ^	<ul> <li>JIRA: Update statu jsi</li> </ul>	This URL will invoke the webhook.  (2) Filter
	<b>4t</b> Apps ⇔ Widgets		When you run this filter, only tickets that match all of the search terms defined here will be processed by the webhook's triggers.  When the following conditions are met:
	Google Analytics  Inbound Webhooks  API Keys		Linked JIRA Issues • Contains • twig:((webhook.data.issue.key))
	API Keys API Logs API AVIth		<ul> <li>Webhook Triggers</li> <li>+ Add Trigger</li> </ul>
	• Zapier		

:Add the following settings to your new webhook

**Title**: "JIRA: Update status on new comment" - this is the title of your webhook, it's • important to give it a descriptive name so you can tell what the webhook is doing at

### a glance

**Payload Format**: "Webhook accepts json payload" - JIRA will send data in JSON • format, let's set our webhook up to parse this type of data

**Filter**: "Linked JIRA Issues -- Contains -- twig:{{webhook.data.issue.key}}" - our • filter is going to interrogate the data sent from JIRA and attempt to match the JIRA issue key with the linked Deskpro tickets

Click "Create" to create the new webhook before we continue

## Webhook Trigger and Action

Now that we can listen to and match Deskpro tickets from JIRA events, the next step is to actually "do" something in Deskpro. In this case, we're going to update the ticket status to ."Awaiting Agent" if a new comment is added to the associated issue in JIRA itself

:Reopen the webhook and add a webhook "trigger" and set the criteria to

**Operation**: Check Webhook variables •

Field: webhook.data.webhookEvent •

Operator: is •

Value: comment\_created •

:Also, let's add the "action" that will be performed

Type: Set status •

Value: Awaiting Agent •

"Now click "Save

$\odot$	OVERVIEW	AMine (15) V Et sit ea qui ×	Edit: JIRA: Update status on new comment	id: 8		
	CONFIGURATION	💩 Inbound Webhoo		101 0		
8	CHANNELS	Configure webhooks to run actions on tickets	Payload format			
R	AGENTS		Webhook accepts json payload	*		
$\odot$	AGENTS		Webhook URL			
	HELP CENTER		This URL will invoke the webhook.			
	TICKET STRUCTURE					
$\odot$	FEATURES	Q. Search	<ol> <li>Filter</li> </ol>			
$\leq$	BUSINESS RULES	0 selected 🛛 🗲 Action	When you run this filter, only tickets that match all of the search terms defined here will be processed by the webhook's triggers.			
3	BUSINESS RULES	🗆 - Title Pa	When the following conditions are met:	Ť.		
	CRM	🗌 💽 JIRA: Update statu js	Linked JIRA Issues	•		
	APPS & INTEGRATIONS					
	a Apps		③ Webhook Triggers			
	Widgets		1 Update ticket status	Delete		
	Google Analytics		Criteria			
	Inbound Webhooks		When the following conditions are met:	Ĩ		
	🖉 API Keys		Check Webhook variables   webhook.data.webhookEver is			
	API Logs		comment_created	• +		
	⁺₄ OAuth					
	O Zapier		Or when the following conditions are met:			
	DATA		Select v Select v	<b>II</b> +		
			Action			
			Then the following actions will run			
			Set status   Awaiting Agent	¥ +		
æ	John Doe DeskPRO - C		Save Discard Changes	Delete		


Ok great! We now have our webhook in Deskpro. Next, let's let JIRA know about our new .webhook URL so it can start sending us events

Grab the webhook URL by revealing it by clicking "Show URL" and copying it to your .clipboard


JIRA: Update status on new comment
This title will be displayed in the agent interface in the
Payload format
Webhook accepts json payload
Webhook URL
 Show URL
This URL will invoke the webhook.
2 Filter
When you run this filter, only tickets that match a
When the following conditions are met-

## Adding the webhook to JIRA

Login to your JIRA account and navigate to the "JIRA Settings > System" section in the cog .menu at the top right of the screen



.Next, navigate to the "WebHooks" section in the left-hand sidebar



:Create a new webhook and enter the following details

**Name**: "Deskpro Status Change Webhook" - a descriptive name so we can recognize • our webhook at a glance

Status: "Enabled" - enable this webhook so JIRA starts sending events to Deskpro •

URL: The URL in your clipboard we copied from the Deskpro webhook •

**Issue Related Events**: "Comment > created" - we're only interested in newly • created comments

Click the "Create" button at the bottom of the webhook screen. That's it - we've created our webhook in JIRA. Tickets associated with JIRA issues will now update their status to ."Awaiting Agent" when new comments are added to issues via JIRA itself

#### System WebHooks

#### New Webhook Listener Name \* Deskpro Test Webhook Deskpro Status Change Webhook Test Apps v3 Webhook Status\* Enabled Disabled URL\* https://mycompany.deskpro.com/api/v2/webhooks/CB8QAJ887TAL1B7X/invoc You can use the following additional variables in the URL: S(attachment.id), S(board.id), S(comment.id), S(issue.id), S(issue.key), S(mergedVersion.id), S(modifiedUser.accountid), S(modifiedUser.key), S(modifiedUser.name), S(project.id), S(project.key), S(property.key), S(print.id), S(version.id), S(worldog.id) Read more Description Events Issue related events You can specify a JQL query to send only events triggered by matching issues. The JQL filter does not apply to events under the Issue link column. All issues Syntax help Attachment Issue link created deleted Worklog created updated Comment Created Issue created updated Entity property C created or updated deleted deleted deleted deleted deleted