

<u>Using Deskpro</u> > <u>Admin</u> > <u>How can I set up agent permissions, permission groups and</u> < <u>قاعدة المعلومات</u> > <u>?department access</u>

How can I set up agent permissions, permission ?groups and department access


Admin - (٠) تعليقات - Eloise Rea - 2024-02-07

The Deskpro agent permissions system is designed to give admins granular control over what agents can see and do in the helpdesk. In this article, we'll explain how you can set up permissions for various different .situations

Basic concepts

.Each agent account has a set of permissions which grant access to different functions

:Under Admin > Agents > Agent Profiles you can grant permissions to each agent individually



:Agents also have department permissions. There are two levels of department permission

- Full access means that agents has full visibility over tickets in a department ullet
- Can assign to means agents can assign tickets to the department, but not have visibility over the .ticket once assigned to it

Ticket Chat			
Ticket	Can assign to	Full access	
Customer Support			
Customer Support - EU	•		
Customer Support - AUS	•		
Customer Support - USA	•		
Complaints	•		
IT Support			

Permission Groups

To save time applying permissions to agents, you can create **permission groups** which will grant permissions to multiple agents at once. A permission group stores a set of permissions, and when you add an agent to the .group, the agent is granted all those permissions. You can add an agent to more than one permission group

:There are two built-in permission groups


- **All Permissions -** Agents in this group will have full access to the agent interface, including access to all ticket departments
- All Non-Destructive Permissions Agents that are in this group will have nearly full access to the agent interface, including access to all ticket departments. The only permissions that this group does not grant are those which allow certain destructive actions, such as irreversible delete operations

Permissions are additive

The key concept to remember is that **permissions are always additive**, whether you grant them through the agent's individual account or by adding the agent to a permission group

If you add an agent to 3 different permission groups, they will have *every* permission that is granted by *any* one .of their groups

You can't take away a permission on an agent's individual account that's been granted from a permission group. For example, here's the profile of an agent who's a member of the **All Non-Destructive Permissions** group



The permissions granted through the group are shown as locked; you can't remove them individually (because permissions are additive) - so if you wanted this agent not to be able to create new tickets, you'd have to remove .them from the permission group altogether

However, you can *add* extra permissions to an individual agent's account. Because it's not granted through a .permission group, it's considered a **permission override**



Managing permissions with only a few agents

.The point of permission groups is to make it quicker to edit large numbers of agents

If you only have a few agents who need widely different permissions, there is no need to set up permission .groups. It's quicker just to edit permissions on each agents' profile

If you have a small number of agents who all need the same custom permissions, you could add them all to the same custom permission group. That way, if you decide to change your permissions policy, you can change all of .them at once

Separate permission levels and department access

:Suppose your helpdesk is divided up like this

Different agents may need access to one or more of three departments: Sales, Support and	d Accounts •
:Ager	nts include •
Trainees who need limited permission	ons o
Standard employees who need more permission	ons o
.Managers who need all permission	ons o
Clearly, it's impractical to make groups for Sales Trainee, Support Trainee, Accounts Trainee	e, Sales & Support .Trainees etc
A better way to implement this would be to set up a "Sales Dept Access" permission group that department access	
	×
.Then do the same for the Support and Account	s departments, etc
.Then set up a Trainee permission group, a Standard permission group and a Managers	s permission group
:This lets you apply pe	ermissions like this
Permission groups are pre-defined sets of permissions you can easily apply agents. Select the permission groups to apply to this agent:	to multiple
Permissions Groups (2 of 5 selected)	Select All
All Non-Destructive Permissions	
All Permissions	
✓ Sales	
Support	
Trainees	