

Posting updates to Microsoft Teams

Using Deskpro - تعليقات (٠) - Matthew Wray - 2023-11-24

.You can post ticket updates directly to Microsoft Teams from Deskpro

To do this you simply need to setup an incoming webhook in Teams and a trigger in Deskpro

Creating an Incoming Webhook in Teams

To create an incoming webhook in Teams navigate to apps in the bottom left of the UI then search for Incoming Webhook



Select Incoming webhook -> Add to team and then select your team and the channel you wish to post to and hit Set up connector

On the setup page you will need to create a name for your webhook and you also have the option to select an image that will appear next to posts made by the webhook into teams

:Hit create and the webhook will be generated



.Copy the URL created and hit done

Creating the trigger in Deskpro

In this example we're going to create a trigger that posts a message to our Teams channel when a new ticket is created

.Go to Deskpro and then Admin > Tickets > New ticket Triggers and hit Add

With this example, we want to post with all tickets so we'll leave all events checked and .won't specify any criteria

:For our action we'll select 'Call Web Hook



.We then need to configure our action

:We'll need to define the following fields

Webhook URL: Set this to the webhook you created in Teams •

Method: Set this to POST •

Custom data: We'll come to this in a moment •

Payload type: json •

Timeout: I've set this to 30 seconds •

Certificate Validation: Ensure this is disabled •

Only custom payload •

Defining the Custom data field

You can read in detail about the format data needs to be sent in the [Microsoft documentation](#)

In my example though I'm just going to create a simple post with the user name, ticket id, .ticket subject and a link to the ticket

The code required for this is as below **(be sure to update the URL in the potential :(action target from [example.deskpro.com](#) to your helpdesk URL**

```
}
```

```
type": "MessageCard",@  
  "@context": "http://schema.org/extensions",  
  "summary": "Deskpro ticket",  
  "themeColor": "#0078D7",  
  "title": "New Deskpro ticket",  
  "sections": [  
    ]
```

```
{
  "activityTitle": "User name",
  "activitySubtitle": "{{ ticket.person.display_name}}",
  "facts": [
    {
      "name": "Ticket ID",
      "value": " {{ ticket.id }}"
    },
    {
      "name": "Subject",
      "value": " {{ticket.subject }}"
    }
  ],
  "message": "Message content"
},
"potentialAction": [
  {
    "@type": "OpenUri",
    "name": "View in Deskpro",
    "targets": [
      { "os": "default", "uri":
{ "{{ "https://example.deskpro.com/app#/t/ticket/{{ ticket.id
[
{
```

[

{

Here you can see we've used variables for username, ticket ID, and subject and will post
:(the below in teams (including a button that links to the ticket



.You can read about other potential variables you could use in the [Deskpro guides](#)

And you can refer to the [Microsoft documentation](#) on how to structure your JSON payload in
.different ways