

<u> Getting Started</u> > <u>General</u> > <u>What cookies does Deskpro use</u> < <u>قاعدة المعلومات</u>

What cookies does Deskpro use?

<u>General</u> - (•) <u>تعليقات</u> - Paul Davies - 2023-08-10

Deskpro will set a number of cookies for the Agents and End-Users of the helpdesk. These cookies are used to .make the experience better and in some cases are essential to allow the proper function of the software

.The table below describes the cookies that are set and what they are used for

Арр	plies To	Туре	Description	Name
Users, A	gents	Essential / Session	These are session identifiers for each of the three major interfaces in Deskpro. A session ID is used to help store various states connected with your current browser session. For example, if you log in, then the session ID is used to store the fact that you're logged in. Without sessions, there'd be no way for Deskpro to save any .state as you browse around the helpdesk	dpsid-admin dpsid-agent dpsid-portal
Users, Ag	gents	Optional / Multi- session	If you clicked "Remember Me" on the login form, then a special token is saved in this cookie. When you come back to the site later in a different session, this token is used to automatically log you .in so you don't need to log in again	dpreme
τ	Users	Essential / Session	This is the language you have selected on the Deskpro Help Center. This is used to make the .experience better on multi-lingual helpdesks	dp_last_lang
τ	Users	Essential / Session	This is a special security token that gets sent with any posted forms on the Help Center. This token ensures a malicious attacker can't impersonate your session or trick you into submitting forms that you .didn't know about	dp_csrf_token_
Users, A	gents		This is a visitor token. This helps connect a single visitor through multiple sessions for things like votes on articles, comments, chats, and page views. For example, if someone starts a chat as a guest and then comes back the next week, we use this visitor .token to look up their chat history to show them	dpv
τ	Users Op	tional/Multi-Session	These are used by the Messenger widget to optimize the loader, to allow the Messenger widget to load .faster after the first time it was loaded	dpdefaultloader_assets_url, dpdefaultloader_time