



[Canolfan Gymorth](#) > [Cymuned](#) > [Feature Request](#) > [An F5 iRule to set cache-control headers](#)

An F5 iRule to set cache-control headers Collecting Feedback

- Bear Golightly
- **Enw'r Fforwm:** #Feature Request

This isn't a suggestion, except maybe that you might consider making a knowledgebase article for anyone who might find it useful:

I have created the following iRule for the F5 BIG-IP platform; this iRule can be attached to a pool that services Deskpro and will set the cache-control headers for the /assets/\* directory, but leave the rest alone. The code is below, but I'm also attaching it as a text file.

-----

```
# this F5 BIG-IP iRule will set the cache-control header for the attached pool, for static  
Deskpro assets (/assets/*)
```

```
# edit the max-age value to the cache timer, 84600 is one week
```

```
# grab the URI so we can use it when the response comes back
```

```
when HTTP_REQUEST {  
  set HTTP_URI [HTTP::uri]  
}
```

```
when HTTP_RESPONSE {
```

```
  # if the URI is for a static asset (/assets/*)
```

```
  if { $HTTP_URI starts_with "/assets/" } {
```

```
    # then set a cache-control header
```

```
    HTTP::header insert cache-control "max-age=86400"
```

```
  } }
```