

Posting updates to Microsoft Teams

Matthew Wray - 2023-11-24 - Sylwadau (0) - Using Deskpro

You can post ticket updates directly to Microsoft Teams from Deskpro.

To do this you simply need to setup an incoming webhook in Teams and a trigger in Deskpro.

Creating an Incoming Webhook in Teams

To create an incoming webhook in Teams navigate to apps in the bottom left of the UI then search for Incoming Webhook.



Copy the URL created and hit done.

Creating the trigger in Deskpro

In this example we're going to create a trigger that posts a message to our Teams channel when a new ticket is created.

Go to Deskpro and then Admin > Tickets > New ticket Triggers and hit Add.

With this example, we want to post with all tickets so we'll leave all events checked and won't specify any criteria.

For our action we'll select 'Call Web Hook':



We then need to configure our action.

We'll need to define the following fields:

- Webhook URL: Set this to the webhook you created in Teams

- Method: Set this to POST
- Custom data: We'll come to this in a moment
- Payload type: json
- Timeout: I've set this to 30 seconds
- Certificate Validation: Ensure this is disabled
- Only custom payload

Defining the Custom data field

You can read in detail about the format data needs to be sent in the [Microsoft documentation](#)

In my example though I'm just going to create a simple post with the user name, ticket id, ticket subject and a link to the ticket.

The code required for this is as below **(be sure to update the URL in the potential action target from example.deskpro.com to your helpdesk URL)**:

```
{
  "@type": "MessageCard",
  "@context": "http://schema.org/extensions",
  "summary": "Deskpro ticket",
  "themeColor": "0078D7",
  "title": "New Deskpro ticket",
  "sections": [
    {
      "activityTitle": "User name",
      "activitySubtitle": "{{ ticket.person.display_name }}",
      "facts": [
        {
          "name": "Ticket ID",
          "value": " {{ ticket.id }}"
        }
      ]
    }
  ]
}
```

```

    },
    {
      "name": "Subject",
      "value": " {{ticket.subject }}"
    }
  ],
  "message": "Message content"
}

],
"potentialAction": [
  {
    "@type": "OpenUri",
    "name": "View in Deskpro",
    "targets": [
      { "os": "default", "uri":
"https://example.deskpro.com/app#/t/ticket/{{ ticket.id }}" }
    ]
  }
]
}

```

Here you can see we've used variables for username, ticket ID, and subject and will post the below in teams (including a button that links to the ticket):