

Knowledge Base > Using Deskpro > Admin > Ticket Structure > Creating an Impact, Urgency and Priority matrix

Creating an Impact, Urgency and Priority matrix

James Godwin - 2024-01-09 - Comments (0) - Ticket Structure

It's often useful to set a Priority for tickets depending on the scale of the interruption they cause to your business (Impact) and the speed at which they need to be fixed (Urgency).

This is a key component of ITIL incident management and one which you can set up in Deskpro using a combination of three custom fields and a few triggers.

Simple Worked Example

In my example, I'm going to set the following options for Impact and Urgency.

Urgency:

High - Critical service cannot be delivered

Medium - Non-critical service cannot be delivered

Low - Task that cannot be completed is non-time sensitive

Impact:

High - Affects the whole organization

Medium - Affects groups of users across the organization but not everyone

Low - Affects a single user

We're then going to use these values to set a priority per the matrix table below (1 obviously being the highest priority and 3 the lowest):

	Urgency							
	High (Critical service cannot be	Medium (non-critical service cannot	Low (task that cannot be completed					
Impact	delivered)	be delivered)	is non-time sensitive)					
High (Affects the whole organization)	1	1	2					
Medium (Affects groups of users)	1	2	3					
Low (Affects a single user)	2	3	3					

Deskpro Workflow

The workflow I want to create is one where when a user submits a ticket they set the Urgency and the Impact.

When submitted a Priority is then generated by the system and is then shown on the ticket in the agent interface.

To do this we'll need to create three custom fields and three triggers.

Custom Fields

If we go to Admin > Ticket Structure > Ticket Fields we can create our fields here.

Note

There is a default Urgency field in the system but it isn't particularly flexible so for this workflow, I would advise you to create a custom field.

Urgency and Impact

The Impact and Urgency fields are essentially going to be the same in this example but with different titles so I'll just run through the Urgency setup.

1) Hit the add button and choose the Select field type.

2) Specify your field title.

3) Specify your field options.

4) Select the ticket layouts you want the field to show on (I'm going to add mine to all departments on both the agent and user side but you may want these to only show to the user but that's up to you).

5) Choose whether you want the field to be required when a user submits a ticket (I do so I've selected 'Require the user to provide a value' under user validation).

The layout should look something like the below:

Add: New Field

ield type		
Select Field		
itle*		-6
Urgency		6
Enabled		
Agent only field lide field from users, only age eld.	nts will be able to see a	nd edit this
gents Form 💿		
Default		<u>^</u>
IT Support		
Complaints		
HR HR		
Finance		
🔽 Trainina Bookina Jser Form 🕲		•
_		
 Default IT Support 		
 IT Support Complaints 		
HR		
Finance		
Training Booking		-
escription		
eference Alias 🌘		
lisplay style		
Single select		~
ptions		
E High		
So Low		
Enter a title	No parent	~
		Add
lefault Value		
No default		~
ser validation		
Require user to provide value	2	~
gent Validation No agent validation		-
The agent valuation		÷
Create		Cancel

×

6) The final optional step is to limit the user's ability to change the field once the ticket has been submitted.

Once it has gone into your helpdesk you may want agents to have control of this.

To do this go to Admin > Ticket Structure > Department > Department Title > Form > User Form

Here click on the cog next to the Urgency field and deselect the 'Let the user edit the field after the ticket is created' option.

Show this field during ticket creation		
C Let the user view this field after the ticket is created		
Only show when there is a value		
Let the user edit this field after the ticket is created		
Only show this field based on custom criteria		

Then repeat the same for the Impact field.

Priority

The setup for the Priority field is fairly similar, but we're going to limit it to the agent side.

1) Hit the add button and choose the Select field type

2) Specify your field title

3) Specify your field options

4) Select the ticket forms you want the field to show on. This is the main point of difference from the other fields as we only want to add this to the agent side forms.

Note

We don't need to specify any validation options here as the field value is going to be generated automatically anyway.

We now have our fields set up and users are required to set Impact and Urgency when they submit the ticket. Now we just need to set up our automation to populate the priority field as well.

Triggers

At this point, we need to create new ticket triggers for each Priority value of 1 to 3 based on our matrix.

We can do this in Admin > Business Rules > Triggers

Priority 1

If we refer back to our original Matrix at this point we can see that Priority 1 needs to be set in three scenarios:

Impact = High and Urgency = High

Impact = HIgh and Urgency = Medium

Impact = Medium and Urgency = High

We can do this by following the steps below:

1) Hit add and set a title

2) Under the criteria section add the criteria of Impact = High and Urgency = High

3) Then using the OR option add criteria for Impact = High and Urgency = Medium then do the same for Impact = Medium and Urgency = High

4) In the actions section add the action to set the Priority field to $\mathbf 1$

The trigger should look similar to the below:

nt	ority 1 Trigger					id:
ii.						
ew ticket			Ψ			
By User						
Help Ce	enter	🗹 We	ebsite Widget	\checkmark	API	
Ticket F	Form Widget	🖌 En	nail	\leq	Phone	
Messen		SM			WhatsApp	
Twitter		Tru	ust Pilot			
By Agen	t					
Agent i	nterface	🗹 AP	4	\leq	Email	
Phone	Call	🗹 Mo	bile apps		Forwarding	
Messen	iger	SM	IS		WhatsApp	
Twitter		Tru	ust Pilot			
√hen	the following conditions are met:	•	Is	- (H	ligh X 👻	
	import				ign A	•
And	Urgency	*	Is	• H	ligh x	
Or	when the following conditions are met:	•	Is	• (H	iigh X 👻	
And	Urgency	•	Is	* N	redium 🗙 👻	
And Or	Urgency when the following conditions are met:		Is	* N	tedium X V	
					tedium X •	
	when the following conditions are met:		Is	•		
Or	when the following conditions are met:	•	Is	•	tedium X 👻	

We then simply need to create a trigger for each of the other values in our Priority field.

I would advise you to click the arrow to the right of the + Add button and the copy existing trigger option to copy the trigger you've just created and then you'll just have to change the values.

Priority 2

Impact Is And Urgency Is Impact Is Impact Is Impact Impact Is Impact Impact Impact Impact Impact Impact	ent				
B y User P telp Center Website Widget API Ticket Form Widget E mail P hone Messenger SMS WhatApp B v Agent interface API E mail B Agent interface API E mail P hone Call Mobile apps Forwarding Messenger SMS WhatSApp Trutter Trust Plot Criteria enteria section is a list of terms that must match before the actions are applied to the Ticket. Winter Trust Plot Or when the following conditions are met: Impact Is Impact Is And Urgency Impact Is Mail Select					
Hep Center Website Widget ▲ API Ticket Form Widget E mail P hone Messenger SMS WhatsApp Twitter Trutt Plot Agent interface A API E mail P Agent interface API Agent interface API P hone Call Meble apps P Prone Call Meble apps Twitter Trutt Plot Criteria Criteria Meble forms that must match before the actions are applied to the Ticket. When the following conditions are met: Impact Is Impact Is Med Urgency Is Weeking X Or when the following conditions are met: Impact Is Impact Is Weeking X Is Medium X Is Or when the following conditions are met: Impact Is Impact <td< td=""><td></td><td></td><td>▼</td><td></td><td></td></td<>			▼		
Ticket Form Widget E mail Messenger SMS Witter Trust Plot Applent Applent Applent Applent Applent Call Applent Call Applent Call Applent Call Applent Call Criteria Criteria Criteria Criteria Impact Impact Is Wethen the following conditions are met: Impact Impact Is Wethen the following conditions are met: Impact Impact Is Wethen the following conditions are met: Impact Impact Is Wethen the following conditions are met: Impact Impact Is Wethen the following conditions are met: Impact Impact Is Wethen the following conditions are met: Impact Is Wethen the following conditions are met: Impact Is Impact Is Imp) By User				
9. Messenger SMS WhatsApp 1. Tutter Tust Plot 9. Agent interface A. AFI 9. Messenger SMS 9. Messenger SMS 9. Messenger SMS 9. Tutter Trust Plot Criteria criteria criteria 0. Tutter Trust Plot 0. Criteria 1. Impact Is 1. Impact Is 0. Went the following conditions are met: 1. Impact Is 0. Went the following conditions are met: 1. Impact Is 0. Went the following conditions are met: 1. Impact Is 0. Went the following conditions are met: 1. Impact Is 0. Went the following conditions are met: 1. Impact Is 0. Went the following conditions are met: 1. Impact Is 0. Went the following conditions are met: 1. Impact Is 0. Went the following conditions are met: 1. Impact Is 1. Impact <td></td> <td></td> <td></td> <td></td> <td></td>					
Twitter Twitter A Apent Interface A Apent Interface A Apent Interface And Criteria Cor when the following conditions are met: Impact Impact Impact Is Impact Impact Is Impact Impa			-	_	
D By Agent Interface Agent Interface Agent Interface Agent Interface Agent Interface Agent Interface Messenger SMS Messenger Trust Pliot Criteria criteria section is a list of terms that must match before the actions are applied to the Ticket. When the following conditions are met: Impact Impact Impact Is Impact Impact Is Impact Is Impact Impact Is Impac		-		WhatsApp	
Agent interface API Email Agent interface SAPI Frome Call Agent interface SMS Forwarding Messanger SMS Forwarding Contentia Criteria Crite	Twitter	r	Trust Pilot		
Phone Call Phone Call Mobile apps Forwarding Messenger SMS WhatsApp T trust Pilot Criteria criteria section is a list of terms that must match before the actions are applied to the Ticket. When the following conditions are met: Impact Is Impact) By Agen	it			
Messenger SMS Twitter Trust Plot Criteria Criteria Criteria Impact Is (my km the following conditions are met: Impact Is Or when the following conditions are met: Impact Is (my km the following conditions are met: Impact Is Or when the following conditions are met: Impact Is (my km the following conditions are met: Impact Is Or when the following conditions are met: Impact Is Or when the following conditions are met: Impact Is Or when the following conditions are met: Impact Is Or when the following conditions are met: Impact Is Or when the following conditions are met: Impact Is Or when the following conditions are met: Impact Is Or when the following conditions are met: Impact Is Or when the following conditions are met: Impact Is Or when the following conditions are met: Impact Is Or when the following conditions are met: Impact Is Or when the following conditions are met: Impact Is Or when the following conditions are met: Impact Is Or when the following conditions are met: Impact Is Or the following actions will run <p< td=""><td>Agent i</td><td>interface</td><td>API</td><td>🗹 Email</td><td></td></p<>	Agent i	interface	API	🗹 Email	
Twitter Tust Pliet	Phone	Call	Mobile apps	Forwarding	
Oriteria criteria section is a list of terms that must match before the actions are applied to the Ticket. When the following conditions are met: Impact Im	Messer	nger	SMS	WhatsApp	
e viteria section is a list of terms that must match before the actions are applied to the Ticket. When the following conditions are met: and Urgency • Is • we	Twitter	r	 Trust Pilot 		
e viteria section is a list of terms that must match before the actions are applied to the Ticket. When the following conditions are met: and Urgency • Is • we					
When the following conditions are met: Impact Is And Urgency Is Impact Is Impact Is Impact Is Impact Is Impact Is Impact Is Impact Is Impact Is Impact Is Is Impact Is Impact Is Impact Is Impact Is Impact Is Impact Is <					
Impact Is And Urgency Is Or when the following conditions are met: Impact Is And Urgency Is And Urgency Is Impact Impact Is Impact Is Impact <				Ticket.	
And Urgency Is Or when the following conditions are met: Impact Is And Urgency Is Medium X Or when the following conditions are met: Impact Is Impact Is Impact </td <td>When</td> <td>the following conditions are m</td> <td>net:</td> <td></td> <td>Ξ.</td>	When	the following conditions are m	net:		Ξ.
And Urgency Is Or when the following conditions are met: Impact Is And Urgency Is Medium X Or when the following conditions are met: Impact Is Impact Is Impact </td <td></td> <td>Impact</td> <td>▼ Is</td> <td>▼ High x</td> <td>•</td>		Impact	▼ Is	▼ High x	•
Or when the following conditions are met: Impact Is And Urgency Impact Is Impact Is Impact Is Impact Is Impact Is Impact Is <td></td> <td></td> <td></td> <td></td> <td></td>					
Impact IS And Urgency Is Or When the following conditions are met: Impact Impact Is Madl Urgency Is Impact Is Impact Is Wedium X Impact Impact Is Impact Is Impact Is Impact Is Impact <	And	Urgency	✓ Is	* Low X	•
Or when the following conditions are met: Impact Is And Urgency Is Impact Or when the following conditions are met: Or when the following conditions are met: Select Select Actions ese actions will apply when all of the criteria pass. Then the following actions will run Priority Set to					
Impact Is And Urgency Is Or when the following conditions are met: Select Select Select Select Select Select Select Priority Set to		Impact	▼ Is	▼ Medium X	•
And Urgency Is Or when the following conditions are met: Select Select Select Actions ese actions will apply when all of the criteria pass. Then the following actions will run Priority Set to	And				
And Urgency Is Or when the following conditions are met: Select Select Select Actions ese actions will apply when all of the criteria pass. Then the following actions will run Priority Set to		Urgency	▼ Is		
Or when the following conditions are met: Select Select Actions ese actions will apply when all of the criteria pass. Then the following actions will run Priority Set to		Urgency when the following conditions	✓ Is s are met:	* Medium X	
Select Actions ese actions will apply when all of the criteria pass. Then The following actions will run Priority Set to		Urgency when the following conditions	✓ Is s are met:	* Medium X	
Actions ese actions will apply when all of the criteria pass. Then the following actions will run Priority Set to	Or	Urgency when the following conditions Impact	 Is s are met: Is 	 Medium X Low X 	
ese actions will apply when all of the criteria pass. Then the following actions will run Priority Set to	Or And	Urgency when the following conditions Impact Urgency	 Is are met: Is Is 	 Medium X Low X 	
Then the following actions will run Priority Set to • •	Or And	Urgency when the following conditions Impact Urgency when the following conditions	 Is are met: Is Is are met: 	 Medium X Low X High X 	
Priority Set to	Or And Or	Urgency when the following conditions Impact Urgency when the following conditions Select	 Is are met: Is Is are met: 	 Medium X Low X High X 	
	Or And Or	Urgency when the following conditions Impact Urgency when the following conditions Select	 Is are met: Is Is s are met: Select 	 Medium X Low X High X 	
	Or And Or Actions	Urgency when the following conditions Impact Urgency when the following conditions Select s s will apply when all of the crite	 Is are met: Is Is s are met: Select 	 Medium X Low X High X 	
	Or And Or Actions	Urgency when the following conditions Impact Urgency when the following conditions Select s s will apply when all of the crite the following actions will run	Is sare met: Is Is sare met: Select eria pass.	 Medium X Low X High X 	
	Or And Or Actions	Urgency when the following conditions Impact Urgency when the following conditions Select s s will apply when all of the crite the following actions will run	 Is are met: Is Is are met: Select 	 Medium X Low X High X 	

Priority 3

nt ew ticket By User								
By User			~					
Help Center		🖌 Website	Widget		2	API		
Ticket Form	Widget	🕑 Email			\leq	Phone		
Messenger		SMS				WhatsApp		
Twitter		Trust Pi	lot					
By Agent								
Agent interf	face	🖌 API			~	Email		
Phone Call		Mobile a	ipps			Forwarding		
 Messenger 		SMS				WhatsApp		
Twitter		Trust Pi	iot					
1	Impact	▼ Is		Ŧ	Me	edium X	•	
	Urgency n the following conditions are met:	♥ Is		Ÿ	Lo	w x	•	
Or when	in the following conditions are met: Impact	▼ Is		v v	Lo	w X)	•	
Or when 1 And (in the following conditions are met: Impact Urgency			Ŷ	Lo			
Or when	in the following conditions are met: Impact	▼ Is		Ŷ	Lo	w X)	•	
Or when I And U Or when	in the following conditions are met: Impact Urgency	▼ Is		Ŷ	(Lor (Me	w X)	•	
Or when I	in the following conditions are met: Impact Urgency in the following conditions are met:	✓ Is✓ Is		v v		w X	•	
Or when I I I I I I I I I I I I I I I I I I I	n the following conditions are met: Impact Urgency n the following conditions are met: Impact	IsIsIs		v v v		w X edium X w X	•	
Or when I I I I I I I I I I I I I I I I I I I	n the following conditions are met: Impact Urgency n the following conditions are met: Impact Urgency	IsIsIs	202	v v v		w X edium X w X	•	

Now the triggers are set up when the users submit a ticket with Impact and Urgency values (which are required), a Priority value will then automatically be added.

Note

In this example, we are just using new ticket triggers to add a Priority to new tickets.

If we wanted our agents and users to have the ability to change the Impact and Urgency values and we wanted the priority value to be updated by these changes we would need to recreate the triggers above but as Ticket

update triggers rather than new ticket triggers.