

?How do I use ticket SLAs

Cecilia Sam - 2023-08-10 - Comment (1) - Admin


(Service-level agreements (SLAs

SLAs are a way to define expected ticket response or resolution times.

This helps ensure that you and your agents are meeting the level of .service you define or that your customers have contracted

Define your SLAs

You can create and manage your SLAs at **Admin Interface > Business .Rules > SLAs**. To create a new SLA, click **+ New**



The screenshot shows the 'Ticket SLAs' management interface in Deskpro. The left sidebar contains navigation options like Overview, Configuration, Channels, Agents, Help Center, Ticket Structure, Features, Business Rules, and CRM. The main content area displays a table of existing SLAs. A red arrow points to the '+ New' button in the top right corner of the table area.

| Title | SLA Type | Warning Time | Failure Time | Application Type | ID |
|-----------------------------|---------------------------|--------------|--------------|------------------|----|
| 1st Response SLA | Time until first response | 4 hours | 6 hours | Criteria | 1 |
| Complaints 1st response SLA | Time until first response | 30 minutes | 60 minutes | Criteria | 2 |
| IT - Set priority SLA | Time until criteria match | 1 minutes | 5 minutes | Criteria | 3 |
| Reply within 1 working day | Time until first response | 1 days | 0 hours | All | 4 |

Give a title

Start by adding a meaningful title to your SLA. You should add a title that accurately describes your SLA's goal, so your team can easily understand .the SLA's purpose

Add: New SLA
✕

① Properties

Title* ←

This title will be displayed in the agent interface when listing SLAs

Type

Hours

Pending Statuses

Pending
 Awaiting Approval
 Awaiting Bug Fix

This SLA will not apply while tickets are in these pending statuses.

② Warning

After hours the ticket is close to failing and the warning status is applied.

Then the following actions will run

Select...

Select...

🗑️
+

③ Failure

After hours the ticket has failed and the failed status is applied.

Then the following actions will run

Create
Cancel

Choose a type

The SLA type controls how the SLA requirements are completed. There are five SLA types

Time until criteria match: The SLA is not satisfied until the ticket •
 .meets the defined criteria

Time until first response: The SLA is satisfied as soon as an Agent •
 .responds to the ticket

Time until ticket resolution: The SLA is satisfied when the ticket is •
 .resolved. The time from when the ticket was created to when it is
 .resolved is counted towards the SLA countable time

User waiting time until next agent response: The SLA is not •
 .satisfied until the user has not received a response from an agent for
 a specified amount of time, such as 2 hours after the user first
 .submits a ticket

User waiting time until ticket resolution: The SLA is satisfied •
 when the ticket is resolved. The time that the user is waiting for a
 response from an agent (while the ticket is in the "awaiting agent"
 .state) is counted towards the SLA countable time

Add: New SLA
✕

① **Properties**

Title*

This title will be displayed in the agent interface when listing SLAs

Type

Time until first response ←

Time until criteria match

Time until first response ✓

Time until ticket resolution

User waiting time until next agent response

User waiting time until ticket resolution

This SLA will not apply while tickets are in these pending statuses.

Define countable time

The SLA countable time is the time that is used to calculate whether an :SLA has been met. There are three ways to set the SLA countable time

24x7: All time counts towards the SLA countable time. This means • that if a ticket is created at 3am on a Sunday, the warning/failure .counters will start immediately

Custom Hours: Only time within the defined working hours and • days counts towards the SLA countable time. You may also define .specific holidays that will not be considered work days

Helpdesk Default Hours: This sets the SLA countable time based • on your helpdesk's default hours. This means that if a ticket is created outside of your helpdesk's default hours, the warning/failure .counters will not start until the next time your helpdesk is open

Hours

Helpdesk Default hours ▼

24 x 7

Custom Hours

Helpdesk Default hours ✓

Setting SLA Warning and Failure criteria

SLA warnings and failures are used to notify agents when a ticket is not being resolved within the SLA time frame. This helps to ensure that tickets

are resolved promptly and that customers are not left waiting for a response. To define your SLA's warning and failure criteria, you will need .to specify the amount of time before a warning or failure state is triggered

The screenshot displays two configuration sections for SLA states. The first section, labeled 'Warning', shows a trigger condition 'After 0 hours the ticket is close to failing and the warning status is applied.' Below this, a 'Then' section indicates 'the following actions will run' with two 'Select...' dropdown menus and a '+' button. The second section, labeled 'Failure', shows a trigger condition 'After 0 hours the ticket has failed and the failed status is applied.' It also has a 'Then' section with two 'Select...' dropdown menus and a '+' button.

?What happens when an SLA Warning or Failure state is triggered

When an SLA warning or failure state is triggered, the ticket will change color in the agent interface. A warning state will turn the ticket amber, while a failure state will turn the ticket red. This lets agents know that the ticket should be prioritized and that it is at risk of not being resolved .within the SLA time frame

Define Actions to take when an SLA Warning or Failure state is triggered

In addition to changing the color of the ticket, you can also define actions to take when an SLA warning or failure state is triggered. For example, you could automatically assign the ticket to a specific agent or send an email .notification to the customer

Applying SLA to Tickets

:SLAs can be applied to tickets in several ways. You can

- **Allow agents to manually assign or remove the SLA** - Agents .will be able to assign or remove the SLA when viewing a ticket
- **.Apply SLA to all tickets** - All tickets created will have this SLA
- **Apply SLA to new tickets that match certain criteria** - The SLA .will apply to all new tickets that match the criteria you define
- **Apply SLA to new tickets that match certain criteria before triggers** - This option allows you to apply the SLA to new tickets that match the defined criteria before any triggers are fired. This can be

useful if you want to ensure that all new tickets are assigned this .SLA, even if they are not triggered by a specific event

Note that any changes to SLA settings will not be applied to existing tickets. For example, if you change the SLA time settings for a ticket that has already been created, the new settings will not be applied to that ticket. The new settings will only be applied to tickets that are .created after the settings are changed


You can also add and remove SLAs or change their status using triggers .and escalations


SLAs for Agents

:Agents can see the SLA status of their tickets in a few ways

In the navigation panel

You can group your ticket queue by SLA status, SLA name, or both SLA .name and status





The SLA status grouping shows all tickets that are currently counting down, regardless of when they were created. For example, if a ticket is set to count down only during custom work hours, it will still be shown in the SLA status section even if it was created outside of work hours. For SLAs based on the first response or time until resolution, this includes tickets that are "awaiting agent" or "awaiting user." For SLAs based on user ".waiting time, this includes tickets that are "awaiting agent

The numbers for each SLA listed here are broken down by status: green indicates that the SLA is on track, orange indicates that the SLA has passed the warning time, and red indicates that the SLA has passed the .failure time

Clicking the SLA title will show you a list of all the "ticking" tickets for that SLA. Clicking a specific counter will only show "ticking" tickets in that state for that SLA. By default, the list of tickets generated will display the tickets .closest to failing (or the tickets the most overdue) at the top

Agents can also see the SLA status at a glance when viewing a ticket. The SLA status is displayed in the ticket details pane. If agents have

permission to add or remove an SLA from a ticket, they will be able to do .so here

