



[Kennisbank](#) > [Using Deskpro](#) > [Admin](#) > [Channels](#) > [Creating brand-specific Email Templates](#)

Creating brand-specific Email Templates

Manu Marquez - 2023-10-19 - [Reacties \(0\)](#) - [Channels](#)

If you have multiple brands set up on your helpdesk, it's likely that you will want your email templates to be brand-specific.


To do this, you can just create separate emails per brand. Or alternatively, it's possible to add arguments to your templates to send out different content depending on the brand the ticket belongs to.

Brand IDs

The first thing you'll need to do is find out your brand IDs to reference in your argument.

The easiest way to do this is by accessing **Admin > Configuration > Branding**

Click on the brand that you would like to reference, and you will be able to see the brand ID in the top right corner of the brand menu:



Example: Adding arguments to your Email Templates

To edit your email templates, go to **Admin > Channels > Email > Email Templates**. In this example I'm going to have two brands:

Deskpro (ID 1)

Elephant Inc (ID 2)

To distinguish between the brands, I would like my emails sent to include the brand name for the relevant brand after the agent's signature on each email.

In this instance, I can use a simple if statement in the Template after the footer to achieve this:

```
{% if ticket.brand.id == 1 %}
```

Deskpro

```
{% elseif ticket.brand.id == 2 %}
```

Elephant Inc

```
{% endif %}
```

For this example, I would insert the if statement into the template as follows:

Email Templates

Template: admin.email_templates.em... ▼ Block: Name ▼ Phrase: Name ▼ {} ↻ 🖨

Email subject

1 `helpcenter.emails.tickets re`

Email

```
1 <html>
2 <head>
3   blocks:resources.html.twig
4 </head>
5 <body>
6   emails:common:email_code_top.html.twig
7
8   blocks:header.html.twig
9   {% if reply.person.is_agent %}
10    emails:common:ticket_message_agent.html.twig
11  {% else %}
12    emails:common:ticket_message.html.twig
13  {% endif %}
14
15  {% if show_rating_link and app.isPortalEnabled() and can_login(recipient.id) %}
16    {% set message = reply %}
17    emails:common:ticket_rating_links.html.twig
18  {% endif %}
19
20  <br /><br />
21
22  {% for message in ticket_messages|slice(1) %}
23    {% if not context.message_limit or loop.index0 < context.message_limit %}
24      emails:common:ticket_message_row.html.twig
25    {% endif %}
26  {% endfor %}
27
28  {% if app.isPortalEnabled() and can_login(recipient.id) %}
29    <br /><br />
30
31    helpcenter.emails.ticket_access_ticket_online
32    <a href="{{ ticket_link }}">{{ ticket_link }}</a>
33  {% endif %}
34
35  blocks:footer.html.twig
36
37  {% if ticket.brand.id == 1 %}
38    Deskpro
39  {% elseif ticket.brand.id == 2 %}
40    Elephant Inc
41  {% endif %}
42
43  emails:common:email_code_bottom.html.twig
44 </body>
45 </html>
```

Which will look something like this:

Preview Default template

Use ticket: 1

Refresh

Email subject

RE: Test

Email

Hello,
This is a new ticket.

Was this message helpful?

View and manage this ticket online: <https://221benenergy.deskpro.com/tickets/PJBB-2867-QVLR>

Kind Regards,
Hannah
Complaints

Deskpro

<https://221benenergy.deskpro.com/> —

Further Reading

You can also adjust styling across brands as well as content - you can read this [Knowledgebase Article](#) for more information.

A particularly useful example of this can be using different logos in different emails.

Read the [w3schools.com](https://www.w3schools.com/html/html_images.asp) guide to using images with HTML below: https://www.w3schools.com/html/html_images.asp