

## How can I best manage out-of-office agents accounts?

Ben Henley - 2023-10-06 - Comentários (0) - Deskpro Legacy

This article has some suggestions for handling an agent going on vacation.

### **Out of Office replies**

When an agent sets an automatic "out of office" message, you may get tickets created every time the message is sent.

The best way to handle these is to create a New Ticket trigger that will automatically delete the unwanted tickets:

Event	When a new ticket is created	
	<input checked="" type="checkbox"/> By a user <input type="checkbox"/> via the web ⚙️ <input checked="" type="checkbox"/> via email <input type="checkbox"/> via the API	<input checked="" type="checkbox"/> By an agent <input type="checkbox"/> via the agent interface <input checked="" type="checkbox"/> via email <input type="checkbox"/> via the API

---

**Criteria** ?

**when** The following conditions are met:

Email Subject contains Out of Office Re

+ Criteria

**or** The following conditions are met:

+ Criteria

**Actions**

These actions will apply when all of the criteria pass.

**then** The following actions will run:

🗑️ Delete Ticket

Prevent Emails To User

Prevent Emails To Agents

+ Action

## Monitoring replies to the agents' assigned tickets

You may want to have the agent unassign all their tickets before they go away and have them assigned to other agents. Another way to handle this is to make sure that all their tickets are assigned to a team, so other members of the team can monitor any replies.

If you don't want to change any assignments, you could create a [custom filter](#) that shows you all the agent's tickets that are awaiting agent. This makes it easy to spot when a user replies while the agent is away.

## New Filter

### Title

Adaline holiday

### Criteria

Ticket is active ⓘ

✕ Assigned Agent ▼

is ▼

✕ Adaline Klein

✕ Status ▼

is ▼

✕ Awaiting Agent

⊕ Add criteria

## Round robins

Ensure that any round robins the agent is part of are set to **Only assign to agents that are online**.