

[知识库](#) > [Using Deskpro](#) > [Admin](#) > [Channels](#) > [Why is the helpdesk rejecting emails when an agent 'Out of Office' automatic reply has been set up?](#)

Why is the helpdesk rejecting emails when an agent 'Out of Office' automatic reply has been set up?

Paul Davies - 2023-09-13 - [Comments \(0\)](#) - [Channels](#)

If you're concerned that your agents have set up 'Out of Office' automatic replies on the email accounts that have been set up in their agent profiles, but the users are not receiving the reply notifying them the agent is away.

This is actually designed behavior. The email notifications that are sent to the agent trigger the OOO reply to be sent to the helpdesk, which is then automatically rejected due to being recognized as an 'agent_bounce' message:

Status Codes

- message_missing: The email was rejected because the message was missing.
- message_too_big: The email was rejected because the message was too big.
- empty: The email was rejected because it was empty.
- duplicate_message: The email was rejected because an exact duplicate has already been processed.
- autoresponder: The email was rejected because it was sent by an autoresponder bot.
- spam: The email was rejected because it is spam.
- require_reg: The email was rejected because the helpdesk requires registration but the user is not registered yet.
- obj_closed: The email was rejected because it is in reply to a closed ticket.
- obj_deleted: The email was rejected because it is in reply to a deleted ticket.
- obj_unknown: The email was rejected because the ticket could not be determined.
- auth_invalid: The email was rejected because it did not include valid auth codes. (These are hidden codes included in all email notifications.)
- auth_missing: The email was rejected because it was missing auth codes. (These are hidden codes included in all email notifications.)
- deskpro_email: deskpro_email
- perm_insufficient: The email was rejected because the user did not have sufficient permissions to use the email address.
- invalid_fwd: The email was rejected because the forwarded message could not be parsed.
- invalid_fwd_email: The email was rejected because the email address of the user in the forwarded message could not be parsed.
- missing_marker: The email was rejected because it is missing the marker line ("reply above this line").
- agent_bounce: The email was rejected because it was detected as a bounced message.
- date_limit: The email was rejected because of flood check limit.
- invalid_address: The email was rejected because it did not match any known email account.

Status: Error

Okay

Logs of incoming emails can be viewed **Admin > Channels > Email > Incoming Log** > hover over the email row > click on the **i** (tooltip)

221 B Helpdesk

OVERVIEW

CONFIGURATION

CHANNELS

Accounts

Templates

Settings

Incoming Log

Outgoing Log

Chat

SMS

Voice

Twitter

Messenger

Instagram

WhatsApp

Incoming Email Log

Search

Filter

0 selected

Action

	Date Created	Email ID	Status	From	IP	Host	To	Account
<input type="checkbox"/>	about 2 hours	51	✓	Dan Baker <dan.baker@deskpro.c...>	209.85.215.169	mail-pg1-f169.g...	ashle...	support@221benergy.com
<input type="checkbox"/>	8 days	50	✓	Google Accounts Team <no-reply...>	209.85.216.54	mail-pg1-f54.goo...	ashle...	support@221benergy.com

Incoming Emails: 50

Information

Source

Log

View Full Screen

Raw Source Window

```

X-OP-BCPT: support@221benergy.deskpro.com
X-OP-UID: f06d18f-bacf-4c66-b268-036b9358494c
X-OP-CLIENTIP: 209.85.216.54
X-OP-CLIENTHOST: mail-pg1-f54.google.com
X-OP-TXID: 60332754-3C8E-45CC-9B3E-4D82B3884C65.1
X-OP-SEQUENCE: 1698196556393.1
Delivered-To: support@221benergy.deskpro.com
Received: from mail-pg1-f54.google.com (mail-pg1-f54.google.com [209.85.216.54])
  by smtp.gmail.com with ESMTP id 1698196556393.1
  for support@221benergy.deskpro.com
  Mon, 10 Oct 2017 16:55:56 -0700
Content-Type: text/html; charset=UTF-8
Content-Transfer-Encoding: quoted-printable
MIME-Version: 1.0
Subject: [REDACTED]

```

Download Email

Summary

```

=====
# EMAIL HTML BODY
=====
<doctype html>
<html lang=en>
<head>
<meta name=format-detection content=email+no>

```

Delete

If an 'out of office' reply was sent to the user every time the agent received an email notification then they could

potentially receive multiple emails.

Instead, when your agents are away on holiday you could set up a trigger to send the user a reply that the previously assigned agent is away and to either un-assign or reassign the ticket.

For instructions on setting up a Trigger for Out of Office replies, see [this article](#).

相关内容

- [How can I best manage Out of Office Agent accounts?](#)